	Application No.	Applicant(s)	
Notice of Allowability	09/827,642	GRAVEL ET AL.	
	Examiner	Art Unit	
	Christy M Green	3635	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apported or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to <u>4/12/04</u> .			
2. The allowed claim(s) is/are <u>2-12,15-24,37-44 and 46-55</u> .			
3. The drawings filed on 15 October 2002 are accepted by the	e Examiner.		
 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on the other has THREE MONTHS FROM THE "MAILING DATE" on the other has THREE MONTH STROM THE "MAILING DATE" on the other has THREE MONTH STROM THE "MAILING DATE" on the other has THREE MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submited in the submited submited in the other has the application number (see 37 CFR 1.1 and sheet. Replacement sheets) should be labeled as such in the other has the depose attached Examiner's comment regarding REQUIREMENT Features and sheet. Replacement sheet(s) should be REQUIREMENT Features attached Examiner's comment regarding Requirement sheet (s) should be about the depose attached Examiner's comment regarding Requirement sheet. 	been received. been received in Application No cuments have been received in this reply of this communication to file a reply of ENT of this application. tted. Note the attached EXAMINER's reason(s) why the oath or declarate to be submitted. on's Patent Drawing Review (PTO-State Amendment / Comment or in the Owner of the drawing to 37 CFR 1.121(doi: to BIOLOGICAL MATERIAL materials.	complying with the requestion of the front (not the l).	uirements OTICE OF back) of
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Pa 6. ☐ Interview Summary (Paper No./Mail Date 3), 7. ☐ Examiner's Amendm 8. ☑ Examiner's Statemen 9. ☐ Other	(PTO-413), e nent/Comment	

Application/Control Number: 09/827,642

Art Unit: 3635

DETAILED ACTION

This is a fourth office action for serial number 09/827642, entitled Cover Panel Attachment System for Partitions, filed on April 6, 2001.

Response to Amendment

In response to the examiner's office action dated December 9, 2003, the applicant has cancelled claims 1, 13, 14, 25-36, 45 and 56-57, amended claims 2, 4, 5, 7, 11, 12, 15, 17, 18, 19, 23, 24, 37-41, 43, 44, 46, 48, 49, 52-55 and added claim 51.

Allowable Subject Matter

Claims 2-12, 15-24, 37-44, 46-55 are allowed.

The following is an examiner's statement of reasons for allowance: within claim 4, prior art does not disclose a first and second horizontal surface, the seal engaging the first surface and a second seal attached to the cover member that includes a resilient flap that engages the second surface of the frame member; within claims 7 and 19, cover member with a vertical flange having a pair of angled slots, attachment members inserted into the windows that include spring clips with a central plate and a pair of side flanges insterted into the pair of slots that connect the attachment member to the cover member; within claim 15, the cover member includes a horizontal flange extending between the side edges of the cover member in combination with a seal includes a u-shaped groove that accepts the horizontal flange of the cover member to frictionally connect the seal to the cover member; within claims 44 and 55, the seal

Application/Control Number: 09/827,642

Art Unit: 3635

extends farther in a horizontal direction than one of the attachment members; within claim 49, a partition having a first surface including a plurality of windows and the attachment members are inserted into the windows that attach the cover member; and, within claim 54, the cover member includes a vertical flange and the attachment members are connected to the vertical flange.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christy M Green whose telephone number is 703-308-9693. The examiner can normally be reached on M-F 8:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman can be reached on 703-308-0839. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

୯g` May 21, 2004

Carl D. Friedman
Supervisory Patent Examiner
Group 3600